

LAMPIRAN

Lampiran 1 Skala Adiksi *Game Online*

No	Aitem	Favorable/ Unfavorable
1	Saya memikirkan bermain <i>game online</i> setiap hari	Favorable
2	Saya merasa sangat tidak nyaman ketika tidak bisa bermain <i>game online</i>	Favorable
3	Saya merasa, belajar lebih menyenangkan dari pada bermain <i>game online</i> .	Unfavorable
4	Saya memikirkan tugas sekolah dari pada <i>game online</i>	Unfavorable
5	Saya enggan menyudahi permainan	Favorable
6	Jika saya punya waktu kosong, saya terus bermain <i>game online</i>	Favorable
7	Setiap hari saya bermain <i>game online</i> hanya beberapa menit	Unfavorable
8	Kemarin dan sekarang, saya bermain <i>game online</i> di waktu yang sama	Unfavorable
9	Saya melupakan hal lain ketika bermain <i>game online</i>	Favorable
10	Bermain <i>game online</i> menjadi prioritas saya	Favorable
11	Saya berhenti bermain <i>game</i> saat sudah tiba waktunya mengerjakan tugas sekolah	Unfavorable
12	Saya tidak lupa melihat jadwal kegiatan saat bermain <i>game</i>	Unfavorable
13	Saya merasa kurang lama bermain setelah selesai bermain <i>game</i>	Favorable
14	Setelah daya HP saya penuh, saya ingin kembali bermain <i>game</i>	Favorable
15	Saya mengerjakan pekerjaan rumah setelah bermain <i>game</i>	Unfavorable
16	Saya cukup bermain <i>game</i> satu kali sehari	Unfavorable

17	Saya merasa hampa ketika HP saya tidak bisa digunakan bermain <i>game online</i>	Favorable
18	Saya merasa <i>game online</i> menjadi hiburan utama saya	Favorable
19	Orang tua saya marah ketika melihat saya bermain <i>game</i> terus menerus	Favorable
20	Agar saya memiliki teman dekat, saya bermain <i>game online</i>	Unfavorable

Lampiran 2 Skala Kesepian

No	Aitem	Favorable/ Unfavorable
1	Saya merasa perlakuan orang sekitar berbeda terhadap saya	Favorable
2	Saya merasa dibedakan oleh orang lain	Favorable
3	Saya merasa orang disekitar saya menjauh	Favorable
4	Tidak ada tempat bagi saya untuk singgah	Favorable
5	Kehadiran saya selalu diharapkan oleh teman-teman	Unfavorable
6	Saya selalu disalahkan oleh orang sekitar	Favorable
7	Saya merasa apa yang saya lakukan benar namun disalahkan	Favorable
8	Saya merasa orang-orang di dekat saya selalu mendukung apa yang saya lakukan	
9	Kehadiran saya tidak diharapkan oleh orang sekitar	Favorable
10	Saya merasa tidak dihargai oleh orang sekitar	Favorable
11	Saya memiliki banyak teman yang mencintai saya	Unfavorable
12	Bagi saya, teman dekat itu tidak begitu perlu	Favorable
13	Saya memiliki teman yang selalu ada setiap kali saya membutuhkannya	Unfavorable
14	Saya merasa lebih baik saya sendiri daripada harus berinteraksi dengan orang lain	Favorable
15	Saya suka bercerita tentang pribadi saya kepada orang lain	Unfavorable

16	Saya seringkali merasa malas dan bosan setiap harinya	Favorable
17	Tidak ada hal yang membuat saya bergairah untuk melakukan sesuatu	Favorable
18	Saya selalu merasa bersemangat	Unfavorable
19	Saya merasa tidak nyaman ketika berinteraksi dengan orang	Favorable
20	Hati saya sering kali merasa tidak tenang	Favorable
21	Tidak ada kegelisahan pada diri saya	Unfavorable

Lampiran 3 Skala *FoMO*

No	Aitem	Favorable/ Unfavorable
1	Saya merasa khawatir ketika mengetahui teman-teman saya bersenang-senang tanpa saya	Favorable
2	Saya takut teman saya memiliki pengalaman yang lebih berharga daripada saya	Favorable
3	Saya merasa cemas ketika saya tidak tahu apa yang sedang dilakukan teman-teman saya	Favorable
4	Saya merasa takut orang lain memiliki pengalaman yang lebih berharga daripada saya	Favorable
5	Ketika saya sedang liburan, saya terus berusaha mengetahui apa yang dilakukan teman-teman saya	Favorable
6	Ketika saya bersenang-senang, penting bagi saya untuk membagikan detailnya secara <i>online</i>	Favorable
7	Penting bagi saya untuk memahami teman-teman saya (dalam hal bercanda)	Favorable

Lampiran 4 Uji Normalitas

```
EXAMINE VARIABLES=Y
/PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT
/COMPARE GROUPS
/STATISTICS DESCRIPTIVES
/CINTERVAL 95
/MISSING LISTWISE
/NOTOTAL.
```

Explore

		Notes
Output Created		06-JUL-2022 05:14:05
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=Y /PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:00.50
	Elapsed Time	00:00:00.37

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Adiksi <i>Game Online</i>	110	100.0%	0	0.0%	110	100.0%

Descriptives


			Statistic	Std. Error
<i>Adiksi Game Online</i>	Mean		69.48	.522
	95% Confidence Interval for Mean	Lower Bound	68.45	
		Upper Bound	70.52	
	5% Trimmed Mean		69.54	
	Median		70.00	
	Variance		29.940	
	Std. Deviation		5.472	
	Minimum		54	
	Maximum		85	
	Range		31	
	Interquartile Range		7	
	Skewness		-.179	.230
	Kurtosis		.363	.457

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
<i>Adiksi Game Online</i>	.082	110	.066	.990	110	.574

a. Lilliefors Significance Correction

Adiksi Game Online



Adiksi Game Online Stem-and-Leaf Plot

```

Frequency  Stem & Leaf
  2.00 Extremes  (= <= 55)
    .00      5 .
   2.00      5 . 89
   3.00      6 . 001
   8.00      6 . 22222333
   9.00      6 . 444445555
  16.00      6 . 666666677777777
  11.00      6 . 88888899999




```



```

16.00  7 . 0000000111111111
21.00  7 . 222222222233333333333
 7.00  7 . 4444445
 9.00  7 . 666666677
 3.00  7 . 889
 1.00  8 . 0
 1.00  8 . 2
 1.00 Extremes (>=85)
    
```

Stem width: 10
 Each leaf: 1 case(s)



```

EXAMINE VARIABLES=X
/PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT
/COMPARE GROUPS
/STATISTICS DESCRIPTIVES
    
```

/CINTERVAL 95
 /MISSING LISTWISE
 /NOTOTAL.

Explore

Notes		
Output Created	06-JUL-2022 05:14:26	
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax	EXAMINE VARIABLES=X /PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.	
Resources	Processor Time	00:00:00.44
	Elapsed Time	00:00:00.44

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Kesepian	110	100.0%	0	0.0%	110	100.0%

Descriptives


		Statistic	Std. Error	
Kesepian	Mean	73.05	.523	
	95% Confidence Interval for Mean	Lower Bound	72.01	
		Upper Bound	74.08	
	5% Trimmed Mean	73.10		
	Median	74.00		
	Variance	30.099		
	Std. Deviation	5.486		
	Minimum	57		
	Maximum	88		
	Range	31		
	Interquartile Range	6		
	Skewness	-.211	.230	
	Kurtosis	.454	.457	

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Kesepian	.087	110	.041	.986	110	.301

a. Lilliefors Significance Correction

Kesepian






Kesepian Stem-and-Leaf Plot

Frequency	Stem & Leaf
2.00	Extremes (= < 59)
1.00	6 . 1
2.00	6 . 33
4.00	6 . 4455
7.00	6 . 6666667
10.00	6 . 8888889999
17.00	7 . 00000000111111111
11.00	7 . 222233333333
14.00	7 . 44444444555555
21.00	7 . 6666666666666677777

11.00 7. 88888889999
 5.00 8. 00001
 2.00 8. 22
 1.00 8. 4
 2.00 Extremes (>=87)

Stem width: 10
 Each leaf: 1 case(s)



EXAMINE VARIABLES=Z
 /PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT
 /COMPARE GROUPS
 /STATISTICS DESCRIPTIVES
 /CINTERVAL 95
 /MISSING LISTWISE
 /NOTOTAL.

Explore**Notes**

Output Created		06-JUL-2022 05:14:46
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax	EXAMINE VARIABLES=Z /PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.	
Resources	Processor Time	00:00:00.44
	Elapsed Time	00:00:00.43

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
<i>FoMO</i>	110	100.0%	0	0.0%	110	100.0%

Descriptives

		Statistic	Std. Error
<i>FoMO</i>	Mean	17.69	.426
	95% Confidence Interval for Mean	Lower Bound	16.85
		Upper Bound	18.53
	5% Trimmed Mean	17.65	
	Median	17.00	
	Variance	19.922	
	Std. Deviation	4.463	
	Minimum	8	
	Maximum	27	


Range	19	
Interquartile Range	6	
Skewness	.171	.230
Kurtosis	-.451	.457

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
<i>FoMO</i>	.118	110	.001	.979	110	.087

a. Lilliefors Significance Correction




FoMO



FoMO Stem-and-Leaf Plot

Frequency	Stem & Leaf
1.00	8 . 0
3.00	9 . 000
.00	10 .
4.00	11 . 0000
7.00	12 . 0000000
6.00	13 . 000000
5.00	14 . 00000
9.00	15 . 000000000
7.00	16 . 0000000
14.00	17 . 000000000000000
15.00	18 . 000000000000000
3.00	19 . 000
4.00	20 . 0000
10.00	21 . 0000000000
6.00	22 . 000000
3.00	23 . 000
4.00	24 . 0000
2.00	25 . 00
3.00	26 . 000
4.00	27 . 0000

Stem width: 1
Each leaf: 1 case(s)



Lampiran 5 Uji Linieritas

MEANS TABLES=Y BY X
 /CELLS=MEAN COUNT STDDEV
 /STATISTICS LINEARITY.

Means

		Notes
Output Created		06-JUL-2022 05:17:03
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax		MEANS TABLES=Y BY X /CELLS=MEAN COUNT STDDEV /STATISTICS LINEARITY.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
Adiksi <i>Game Online</i> *	110	100.0%	0	0.0%	110	100.0%
Kesepian						

Report

Adiksi Game Online

Kesepian	Mean	N	Std. Deviation
57	54.00	1	.
59	55.00	1	.
61	58.00	1	.
63	59.50	2	.707
64	61.00	2	1.414
65	61.50	2	.707
66	62.50	6	.548
67	64.00	1	.
68	64.33	6	.516
69	65.50	4	.577
70	66.87	8	.835
71	66.89	9	.601
72	68.50	4	.577
73	69.43	7	.787
74	70.50	8	.756
75	71.33	6	1.033
76	72.31	16	.602
77	73.40	5	.548
78	74.29	7	.951
79	76.25	4	.500
80	76.25	4	.500
81	78.00	1	.
82	78.50	2	.707
84	80.00	1	.
87	82.00	1	.
88	85.00	1	.
Total	69.48	110	5.472

ANOVA Table

		Sum of Squares	df	Mean Square	F	Sig.	
Adiksi Game Online * Kesepian	Between Groups	(Combined)	3220.753	25	128.830	253.372	.000
		Linearity	3208.808	1	3208.808	6310.797	.000
		Deviation from Linearity	11.945	24	.498	.979	.502
	Within Groups		42.711	84	.508		
Total			3263.464	109			

Measures of Association

	R	R Squared	Eta	Eta Squared
Adiksi <i>Game Online</i> * Kesepian	.992	.983	.993	.987

MEANS TABLES=Y BY Z
/CELLS=MEAN COUNT STDDEV
/STATISTICS LINEARITY.

Means**Notes**

Output Created	06-JUL-2022 05:17:49	
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax	MEANS TABLES=Y BY Z /CELLS=MEAN COUNT STDDEV /STATISTICS LINEARITY.	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.02

Case Processing Summary

	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
Adiksi <i>Game Online</i> * <i>FoMO</i>	110	100.0%	0	0.0%	110	100.0%

Report*Adiksi Game Online*

<i>FoMO</i>	Mean	N	Std. Deviation
8	76.00	1	.
9	67.67	3	3.055
11	68.00	4	5.228
12	67.00	7	4.583
13	67.50	6	7.007
14	69.00	5	4.359
15	70.33	9	6.042
16	68.43	7	4.860
17	72.14	14	4.639
18	71.33	15	5.108
19	71.33	3	6.429
20	68.25	4	4.992
21	67.70	10	7.675
22	70.17	6	5.115
23	62.00	3	6.245
24	68.00	4	2.708
25	67.50	2	4.950
26	70.33	3	2.517
27	73.00	4	5.774
Total	69.48	110	5.472

ANOVA Table

		Sum of Squares	df	Mean Square	F	Sig.	
<i>Adiksi Game Online * FoMO</i>	Between Groups	(Combined) Linearity	581.018	18	32.279	1.095	.370
		Linearity	3.202	1	3.202	.109	.742
		Deviation from Linearity	577.817	17	33.989	1.153	.319
	Within Groups		2682.445	91	29.477		
Total			3263.464	109			

Measures of Association

	R	R Squared	Eta	Eta Squared
<i>Adiksi Game Online * FoMO</i>	.031	.001	.422	.178

Lampiran 6 Uji Multikolinieritas

Regression

		Notes
Output Created		06-JUL-2022 12:49:43
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X Z.
Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.02
	Memory Required	1636 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	<i>FoMO</i> , Kesepian ^b	.	Enter

a. Dependent Variable: Adiksi *Game Online*

b. All requested variables entered.

Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	Kesepian	.998	1.002
	<i>FoMO</i>	.998	1.002

a. Dependent Variable: Adiksi *Game Online*

Collinearity Diagnostics^a				Variance Proportions		
Model	Dimension	Eigenvalue	Condition Index	(Constant)	Kesepian	<i>FoMO</i>
1	1	2.957	1.000	.00	.00	.01
	2	.041	8.544	.02	.02	.98
	3	.003	32.794	.98	.97	.01

a. Dependent Variable: Adiksi *Game Online*

Lampiran 7 Uji Heteroskedastisitas

```

REGRESSION
/MISSING LISTWISE
/STATISTICS COEFF OUTS COLLIN TOL
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Y
/METHOD=ENTER Z X
/SAVE RESID.

```

Regression

		Notes
Output Created		06-JUL-2022 05:23:07
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER Z X /SAVE RESID.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00
	Memory Required	1644 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_1	Unstandardized Residual

Variables Entered/Removed ^a			
Model	Variables Entered	Variables Removed	Method
1	Kesepian, <i>FoMO</i> ^b		Enter

a. Dependent Variable: Adiksi *Game Online*

b. All requested variables entered.

a. Dependent
Variable: Adiksi
Game Online

Model		Unstandardized Coefficients		Coefficients ^a			Collinearity Statistics
		B	Std. Error	Beta	t	Sig.	Tolerance
1	(Constant)	-2.576	.941		-2.738	.007	
	<i>FoMO</i>	-.012	.015	-.010	-.782	.436	.998
	Kesepian	.989	.012	.992	79.449	.000	.998

Collinearity Diagnostics ^a						
Model	Dimens ion	Eigenvalue	Conditio n Index	Variance Proportions		
				(Constant)	<i>FoMO</i>	Kesepian
1	1	2.957	1.000	.00	.01	.00
	2	.041	8.544	.02	.98	.02
	3	.003	32.794	.98	.01	.97

a. Dependent Variable: Adiksi *Game Online*

Residuals Statistics ^a					
	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	53.57	84.27	69.48	5.426	110
Residual	-1.505	1.631	.000	.706	110
Std. Predicted Value	-2.933	2.726	.000	1.000	110
Std. Residual	-2.112	2.288	.000	.991	110

a. Dependent Variable: Adiksi *Game Online*

```

COMPUTE ABS_RES=ABS_RES(RES_1).
EXECUTE.
NONPAR CORR
/VARIABLES=Z X ABS_RES
/PRINT=SPEARMAN TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Nonparametric Correlations

		Notes
Output Created		06-JUL-2022 05:25:49
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=Z X ABS_RES /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	285975 cases ^a

a. Based on availability of workspace memory

Correlations

			<i>FoMO</i>	Kesepia n	ABS_ RES
Spearman's rho	<i>FoMO</i>	Correlation Coefficient	1.000	.043	-.097
		Sig. (2-tailed)	.	.657	.312
		N	110	110	110
	Kesepian	Correlation Coefficient	.043	1.000	.022
		Sig. (2-tailed)	.657	.	.823
		N	110	110	110
	ABS_RES	Correlation Coefficient	-.097	.022	1.000
		Sig. (2-tailed)	.312	.823	.
		N	110	110	110

Lampiran 8 Uji Regresi

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA CHANGE

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN
 /DEPENDENT Y
 /METHOD=ENTER X
 /SAVE RESID.

Regression

		Notes
Output Created		06-JUL-2022 05:46:05
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA CHANGE /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X /SAVE RESID.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00
	Memory Required	1420 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_2	Unstandardized Residual

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kesepian ^b	.	Enter

a. Dependent Variable: Adiksi *Game Online*

b. All requested variables entered.

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	3208.808	1	3208.808	6340.646	.000 ^b
	Residual	54.656	108	.506		
	Total	3263.464	109			

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	3208.808	1	3208.808	6340.646	.000 ^b
	Residual	54.656	108	.506		
	Total	3263.464	109			

a. Dependent Variable: Adiksi *Game Online*

b. Predictors: (Constant), Kesepian

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-2.758	.910		-3.032	.003
	Kesepian	.989	.012	.992	79.628	.000

a. Dependent Variable: Adiksi *Game Online*

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	53.61	84.27	69.48	5.426	110
Residual	-1.459	1.629	.000	.708	110
Std. Predicted Value	-2.925	2.726	.000	1.000	110
Std. Residual	-2.051	2.290	.000	.995	110

a. Dependent Variable: Adiksi *Game Online*

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA CHANGE

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT Y

/METHOD=ENTER X Z XY

/SAVE RESID.

Regression

		Notes
Output Created		06-JUL-2022 05:46:31
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	110
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA CHANGE /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X Z XY /SAVE RESID.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02
	Memory Required	1996 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_3	Unstandardized Residual

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kesepian* <i>FoM</i> <i>O, FoMO,</i> Kesepian ^b	.	Enter

a. Dependent Variable: Adiksi *Game Online*

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	R Square Change	Change Statistics			Sig. F Change
						F Change	df1	df2	
1	.997 ^a	.993	.993	.460	.993	5116.312	3	106	.000

a. Predictors: (Constant), Kesepian**FoMO*, *FoMO*, Kesepian

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	3241.081	3	1080.360	5116.312	.000 ^b
	Residual	22.383	106	.211		
	Total	3263.464	109			

a. Dependent Variable: Adiksi *Game Online*

b. Predictors: (Constant), Kesepian**FoMO*, *FoMO*, Kesepian

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients Beta	t	Sig.
		B	Std. Error			
1	(Constant)	37.270	3.295		11.311	.000
	Kesepian	-.096	.089	-.097	-1.087	.280
	<i>FoMO</i>	-.009	.010	-.007	-.910	.365
	Kesepian* <i>FoMO</i>	.008	.001	1.093	12.303	.000

a. Dependent Variable: Adiksi *Game Online*

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	55.35	86.37	69.48	5.453	110
Residual	-1.826	.961	.000	.453	110
Std. Predicted Value	-2.591	3.098	.000	1.000	110
Std. Residual	-3.973	2.092	.000	.986	110

a. Dependent Variable: Adiksi *Game Online*