

Lampiran F

Uji Normalitas dan Linieritas

Warning # 849 in column 23. Text: in_ID

The LOCALE subcommand of the SET command has an invalid parameter. It could not be mapped to a valid backend locale.

NPAR TESTS

```
/K-S(NORMAL)=VAR00001 VAR00002
```

```
/STATISTICS DESCRIPTIVES
```

```
/MISSING ANALYSIS.
```

NPar Tests

Notes

Output Created		12-JUL-2019 16:22:27
Comments		
	Active Dataset	DataSet0
	Filter	<none>
Input	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	102
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.

Syntax	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
		NPAR TESTS /K- S(NORMAL)=VAR0000 1 VAR00002 /STATISTICS DESCRIPTIVES /MISSING ANALYSIS.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00
	Number of Cases Allowed ^a	157286

a. Based on availability of workspace memory.

[DataSet0]

Descriptive Statistics

	N	Mean	Std. Deviation	Minimum	Maximum
Prokrastinasi	102	88,56	16,606	44	140
Efikasi Diri	102	96,52	13,803	52	132

One-Sample Kolmogorov-Smirnov Test

		Prokrastinasi	Efikasi Diri
N		102	102
Normal Parameters ^{a,b}	Mean	88,56	96,52
	Std. Deviation	16,606	13,803
Most Extreme Differences	Absolute	,107	,154
	Positive	,050	,154
	Negative	-,107	-,088
Kolmogorov-Smirnov Z		1,081	1,557
Asymp. Sig. (2-tailed)		,193	,016

a. Test distribution is Normal.

b. Calculated from data.

MEANS TABLES=VAR00001 BY VAR00002

/CELLS MEAN COUNT STDDEV

/STATISTICS LINEARITY.

Means

Notes

Output Created	12-JUL-2019 16:31:03	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>

	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	102
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax		MEANS TABLES=VAR00001 BY VAR00002 /CELLS MEAN COUNT STDDEV /STATISTICS LINEARITY.
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,00

[DataSet0]

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
Prokrastinasi * Efikasi Diri	102	100,0%	0	0,0%	102	100,0%

Report

Prokrastinasi

Efikasi Diri	Mean	N	Std. Deviation
52	128,00	1	.
64	108,00	1	.
68	116,00	1	.
74	107,00	1	.
78	116,00	1	.
81	100,00	1	.
82	93,00	3	5,000
83	90,50	2	3,536
84	93,75	4	7,089
85	104,00	1	.
86	99,00	1	.

87	91,75	4	10,243
88	109,00	2	,000
89	96,33	3	11,504
90	111,00	1	.
91	99,00	2	,000
92	94,60	10	6,995
93	86,57	7	11,133
94	89,86	7	10,574
95	86,80	5	10,257
96	87,80	5	9,121
97	83,60	5	8,112
98	78,50	2	12,021
99	78,25	4	4,193
100	104,00	1	.
101	86,25	4	6,397
104	93,60	5	16,682
106	85,50	2	13,435
114	87,00	1	.
115	80,00	2	,000
117	87,00	1	.
119	50,67	3	11,547
121	71,50	2	12,021

Report

Prokrastinasi

Efikasi Diri	Mean	N	Std. Deviation
123	61,00	1	.
124	97,00	2	60,811
125	67,00	1	.
129	65,00	1	.
132	45,50	2	2,121
Total	88,56	102	16,606

ANOVA Table

			Sum of Squares	df
(Combined)			18461,342	37
Prokrastinasi * Efikasi Diri	Between Groups	Linearity	11187,111	1
		Deviation from Linearity	7274,231	36
	Within Groups		9391,805	64
	Total		27853,147	101

ANOVA Table

			Mean Square	F
(Combined)			498,955	3,400
Prokrastinasi * Efikasi Diri	Between	Linearity	11187,111	76,234
	Groups	Deviation from Linearity	202,062	1,377
	Within Groups		146,747	
	Total			

ANOVA Table

			Sig.
(Combined)			,000
Prokrastinasi * Efikasi Diri	Between Groups	Linearity	,000
		Deviation from Linearity	,131
	Within Groups		
	Total		

Measures of Association

	R	R Squared	Eta	Eta Squared
Prokrastinasi * Efikasi Diri	-,634	,402	,814	,663