

## KORELASI VARIABEL

### CORRELATIONS

/VARIABLES=BULLYING BERKUASA

/PRINT=TWOTAIL NOSIG

/STATISTICS DESCRIPTIVES

/MISSING=PAIRWISE.

### Correlations

Correlations

		BULLYING	BERKUASA
BULLYING	Pearson Correlation	1	.956**
	Sig. (2-tailed)		.000
	N	200	200
BERKUAS A	Pearson Correlation	.956**	1
	Sig. (2-tailed)	.000	
	N	200	200

\*\* . Correlation is significant at the 0.01 level (2-tailed).

## LINEARITAS

\* Curve Estimation.

TSET NEWVAR=NONE.

CURVEFIT

/VARIABLES=BULLYING WITH BERKUASA

/CONSTANT

/MODEL=LINEAR

/PLOT FIT.

### Curve Fit

#### Model Description

Model Name		MOD_1
Dependent Variable	1	BULLYING
Equation	1	Linear
Independent Variable		BERKUASA
Constant		Included
Variable Whose Values Label Observations in Plots		Unspecified

#### Case Processing Summary

	N
Total Cases	200
Excluded Cases <sup>a</sup>	0
Forecasted Cases	0
Newly Created Cases	0


a. Cases with a missing value in any variable are excluded from the analysis.

#### Model Summary and Parameter Estimates

Dependent Variable: BULLYING

Equation	Model Summary					Parameter Estimates	
	R Square	F	df1	df2	Sig.	Constant	b1
Linear	.913	2082.204	1	198	.000	1.630	1.259

The independent variable is BERKUASA.



**NORMALITAS**

**REGRESSION**

**/MISSING LISTWISE  
/STATISTICS COEFF OUTS R ANOVA  
/CRITERIA=PIN(.05) POUT(.10)  
/NOORIGIN  
/DEPENDENT BULLYING  
/METHOD=ENTER BERKUASA  
/SAVE PRED.**

**Regression**

**[DataSet0]**

**Variables Entered/Removed<sup>a</sup>**

<b>Model</b>	<b>Variables Entered</b>	<b>Variables Removed</b>	<b>Method</b>
<b>1</b>	<b>BERKUASA<sup>b</sup></b>	<b>.</b>	<b>Enter</b>

**a. Dependent Variable: BULLYING**

**b. All requested variables entered.**

**Model Summary<sup>b</sup>**

<b>Model</b>	<b>R</b>	<b>R Square</b>	<b>Adjusted R Square</b>	<b>Std. Error of the Estimate</b>
<b>1</b>	<b>.956<sup>a</sup></b>	<b>.913</b>	<b>.913</b>	<b>3.98742</b>

**a. Predictors: (Constant), BERKUASA**

**b. Dependent Variable: BULLYING**

**ANOVA<sup>a</sup>**

<b>Model</b>		<b>Sum of Squares</b>	<b>df</b>	<b>Mean Square</b>	<b>F</b>	<b>Sig.</b>
<b>1</b>	<b>Regression</b>	<b>33106.109</b>	<b>1</b>	<b>33106.109</b>	<b>2082.204</b>	<b>.000<sup>b</sup></b>
	<b>Residual</b>	<b>3148.111</b>	<b>198</b>	<b>15.900</b>		
	<b>Total</b>	<b>36254.220</b>	<b>199</b>			

**a. Dependent Variable: BULLYING**

b. Predictors: (Constant), BERKUASA

Coefficients<sup>a</sup>

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	
	B	Std. Error	Beta			
1	(Constant)	1.630	1.378		1.183	.238
	BERKUAS A	1.259	.028	.956	45.631	.000

a. Dependent Variable: BULLYING

Residuals Statistics<sup>a</sup>

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	30.5781	87.2159	63.1700	12.89815	200
Residual	-10.14694	10.11168	.00000	3.97739	200
Std. Predicted Value	-2.527	1.864	.000	1.000	200
Std. Residual	-2.545	2.536	.000	.997	200

a. Dependent Variable: BULLYING

**NPAR TESTS**

/K-S(NORMAL)=PRE\_1

/MISSING ANALYSIS.

**NPar Tests**

One-Sample Kolmogorov-Smirnov Test

		Unstandardize d Predicted Value
N		200
Normal Parameters <sup>a,b</sup>	Mean	63.1700000
	Std. Deviation	12.89815332
Most Extreme Differences	Absolute	.089
	Positive	.045
	Negative	-.089
Kolmogorov-Smirnov Z		1.260

Asymp. Sig. (2-tailed)	.084
------------------------	------

- a. Test distribution is Normal.
- b. Calculated from data.